

24'-0"

FROM HERE:
MAXIMUM SECONDARY
TRAVEL DISTANCE = 187'
ACTUAL TRAVEL DISTANC

Wood Shop

19

18

17

16

29

30

31

32

09

Storage

15

14

13

12

11

10

07

08

05

04

03

06

01

02

20

21

22

23

24

25

26

27

28

Dead Case Storage and Load IN/Out

(3) 3'-0"x8'-0" FOLDING DOORS

(3) 3'-0"x8'-0" FOLDING DOORS

38'-1" REMOTE DISTANCE

EXISTING PUBLIC STAIR ENCLOSURE (2 HR. RATED)

EXISTING FRESH AIR INTAKE

EXISTING CELLAR HATCH TO REMAIN UNDISTURBED

EXISTING 4X3X3 FLUSH TYPE SIAMESE FIRE DEPT CONNECTION

DOORS EXIT CAPACITY:
1,091 / .2 = 218.2" MIN.
100" / .2 = 540
790 PERSONS PERMITTED
260 PERSONS PROPOSED
CLASS I

DOORS EXIT CAPACITY:
1,091 / .2 = 218.2" MIN.
100" / .2 = 540
790 PERSONS PERMITTED
260 PERSONS PROPOSED
CLASS I

DOORS EXIT CAPACITY:
1,091 / .2 = 218.2" MIN.
100" / .2 = 540
540 PERSONS PERMITTED
480 PERSONS PROPOSED
CLASS I

EXISTING PUBLIC STAIR ENCLOSURE (2 HR. RATED)